Reviewed on 11/08/2018 Printing date 11/08/2018

### 1 Identification

- · Product identifier
- · Trade name: 3X Industrial Fragrance
- Part number: 90-2200, 90-5150, 90-5200, 90-5600, 90-0953, 90-0953/5, 90-0950/5, 90-0926, 90-0926RB, 90-0926/4, 90-0928/4, 34-7625, 34-7625RB, 34-3600, 90-3600, 60-0950/5, 60-5200
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Vaportek, Inc.

W226N6339 Village Drive

Sussex, Wisconsin 53089

USA

800.237.6367

- · Information department: Regulatory Department
- · Emergency telephone number:

Hours of operation: 7:00 AM - 4:00 PM Mon-Fri. (CST)

Domestic North America (262) 246-5060

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

H351 Suspected of causing cancer.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS05

GHS07

· Signal word Danger

(Contd. on page 2)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

(Contd. of page 1)

#### · Hazard-determining components of labeling:

CINNAMIC ALDEHYDE

CITRONELLA OIL

CLOVE OIL

Orange oil

ALPHA PINENE

**ANETHOLE** 

EUCALYPTUS OIL

TEA TREE OIL

**COUMARIN** 

LAEVO CARVONE

**CITRAL** 

ALDEHYDE C-12 LAURIC

**DIPENTENE** 

#### · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of causing cancer.

May be fatal if swallowed and enters airways.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

 $Use\ explosion-proof\ electrical/ventilating/lighting/equipment.$ 

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF 1 1 C 1 1

IF exposed or concerned: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

*In case of fire: Use for extinction: CO2, powder or water spray.* 

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

(Contd. of page 2)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	*3	Health = *3
FIRE		Fire = 2
REACTIVITY 0		Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous (	components:	
119-36-8	METHYL SALICYLATE	>10-≤25%
	♠ Acute Tox. 4, H302	
98-55-5	TERPINEOL ALPHA	>10- <b>≤</b> 25%
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	
104-55-2	CINNAMIC ALDEHYDE	>2.5-<10%
	Acute Tox. 3, H311; 🚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
8000-34-8	CLOVE OIL	>2.5-<10%
	♦ Asp. Tox. 1, H304; ♦ Eye Irrit. 2A, H319; Skin Sens. 1, H317	
8008-57-9	Orange oil	>2.5-<10%
	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	
80-56-8	ALPHA PINENE	>2.5-<10%
	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	
125-12-2	ISOBORNYL ACETATE	>2.5-≤10%
	Flam. Liq. 4, H227	
4180-23-8	ANETHOLE	>2.5- <b>≤</b> 10%
	♦ Skin Sens. 1, H317	
78-70-6	LINALOOL	>2.5-<10%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	
628-63-7	PENTYL ACETATE	>2.5–≤10%
	🚸 Flam. Liq. 3, H226	
624-41-9	2-METHYL BUTYL ACETATE	>2.5- <b>≤</b> 10%
	🚸 Flam. Liq. 3, H226	
8000-29-1	CITRONELLA OIL	≥1-≤2.5%
	♠ Asp. Tox. 1, H304; ♠ Eye Dam. 1, H318; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	

Printing date 11/08/2018 Reviewed on 11/08/2018

#### Trade name: 3X Industrial Fragrance

140-11-4	BENZYL ACETATE	≤2.5%
8000-48-4	EUCALYPTUS OIL	≥1-≤2.5%
	(A) Flam. Liq. 3, H226; (A) Asp. Tox. 1, H304; (L) Skin Irrit. 2, H315; Skin Sens. 1, H317	
68647-73-4	TEA TREE OIL	≥1-≤2.5%
	(A) Flam. Liq. 3, H226; (A) Asp. Tox. 1, H304; (A) Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
68990-83-0	CEDARWOOD OIL TEXAS	<b>≤</b> 2.5%
	<b>♦</b> Asp. Tox. 1, H304	
91-64-5	COUMARIN	≥1-≤2.5%
	Acute Tox. 3, H301; 🗘 Skin Sens. 1, H317	
6485-40-1	LAEVO CARVONE	≥1-≤2.5%
	♦ Skin Sens. 1, H317	
5392-40-5	CITRAL	≥1-≤2.5%
	♦ Skin Irrit. 2, H315; Skin Sens. 1, H317	
89-83-8	THYMOL CRYSTALS	≥1-≤2.5%
8014-09-3	PATCHOULY OIL	<i>≤</i> 2.5%
	<b>♦</b> Asp. Tox. 1, H304	
112-54-9	ALDEHYDE C-12 LAURIC	≥0.1-<1%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
138-86-3	DIPENTENE	≥0.1-<1%
	♦ Flam. Liq. 3, H226; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317	
81-14-1	MUSK KETONE	≥0.1-≤2.5%
	& Carc. 2, H351	

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 5)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

(Contd. of page 4)

- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
119-36-8 METHYL SAL	ICYLATE	2.3 ppm
628-63-7 PENTYL ACE	TATE	100 ppm
140-11-4 BENZYL ACE	TATE	30 ppm
91-64-5 COUMARIN		$0.88 \text{ mg/m}^3$
89-83-8 THYMOL CR	YSTALS	$2.9 \ mg/m^3$
· PAC-2:		
119-36-8 METHYL SAL	ICYLATE	25 ppm
628-63-7 PENTYL ACE	TATE	670 ppm
140-11-4 BENZYL ACE	TATE	330 ppm
91-64-5 COUMARIN		9.7 mg/m³
89-83-8 THYMOL CR	YSTALS	32 mg/m³
· PAC-3:		
119-36-8 METHYL SAL	ICYLATE	150 ppm
628-63-7 PENTYL ACE	TATE	4000* ppm
140-11-4 BENZYL ACE	TATE	2,000 ppm
91-64-5 COUMARIN		58 mg/m³
89-83-8 THYMOL CR	YSTALS	$190 \text{ mg/m}^3$

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

*Open and handle receptacle with care.* 

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 6)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

(Contd. of page 5)

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Comp	onents with limit values that require monitoring at the workplace:				
80-56-8 ALPHA PINENE					
TLV	Long-term value: 112 mg/m³, 20 ppm DSEN				
628-6.	7-7 PENTYL ACETATE				
PEL	Long-term value: 525 mg/m³, 100 ppm				
REL	Long-term value: 525 mg/m³, 100 ppm				
TLV	Short-term value: 532 mg/m³, 100 ppm Long-term value: 266 mg/m³, 50 ppm				
624-4	I-9 2-METHYL BUTYL ACETATE				
TLV	Short-term value: 532 mg/m³, 100 ppm Long-term value: 266 mg/m³, 50 ppm				
140-1.	I-4 BENZYL ACETATE				
TLV	Long-term value: 61 mg/m³, 10 ppm				
5392-	10-5 CITRAL				
TLV	Long-term value: 32* mg/m³, 5* ppm Skin; DSEN; *inhalable fraction + vapor				
138-8	5-3 DIPENTENE				
WEEL	Long-term value: 30 ppm				

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 7)

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	and	chemical	properties
/ I It you wi	uiiu	Citciittcat	properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Yellow

Odor: Characteristic
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 149.3 °C (300.7 °F)

• Flash point:  $60 \, ^{\circ}C \, (140 \, ^{\circ}F)$ 

· Flammability (solid, gaseous): Not applicable.

• Ignition temperature:  $450 \, ^{\circ}C \, (842 \, ^{\circ}F)$ 

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

(Contd. on page 8)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

		(Contd. of page
· Vapor pressure at 20 °C (68 °F):	0.1 hPa (0.1 mm Hg)	
· Density at 20 °C (68 °F):	0.97415 g/cm³ (8.12928 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	e <b>r</b> ): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	4.6 %	
VOC content:	4.62 %	
	45.0 g/l / 0.38 lb/gal	
Solids content:	10.5 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:						
ATE (A	ATE (Acute Toxicity Estimate)						
Oral	LD50	2,493 mg/kg					
Dermal	LD50	3,002 mg/kg					
119-36-	119-36-8 METHYL SALICYLATE						
Oral	LD50	887 mg/kg (rat)					
98-55-5	98-55-5 TERPINEOL ALPHA						
Oral	LD50	4,300 mg/kg (rat)					
104-55-2	2 CINN	NAMIC ALDEHYDE					
Oral	LD50	2,220 mg/kg (rat)					
	•	(Contd. on page 9)					

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

		(Contd. of pa
125-12-2	2 ISOB	ORNYL ACETATE
Oral	LD50	10,000 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)
78-70-6	LINAI	LOOL
Oral	LD50	2,790 mg/kg (rat)
Dermal	LD50	5,610 mg/kg (rabbit)
628-63-	7 PEN	TYL ACETATE
Oral	LD50	6,500 mg/kg (rat)
140-11-	4 BENZ	ZYL ACETATE
Oral	LD50	2,490 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
91-64-5	COUN	IARIN
Oral	LD50	293 mg/kg (rat)
6485-40	-1 LAE	TVO CARVONE
Oral	LD50	1,640 mg/kg (rat)
5392-40	-5 CIT	RAL
Oral	LD50	4,960 mg/kg (rat)
89-83-8	THYM	OL CRYSTALS
Oral	LD50	980 mg/kg (rat)
112-54-	9 ALD	EHYDE C-12 LAURIC
Oral	LD50	23,000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)						
140-11-4	BENZYL ACETATE	3				
91-64-5	COUMARIN	3				
· NTP (Nat	· NTP (National Toxicology Program)					
None of th	None of the ingredients is listed.					
· OSHA-Ca (Occupational Safety & Health Administration)						
None of th	None of the ingredients is listed.					

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 10)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

· Behavior in environmental systems:

(Contd. of page 9)

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

1 4	ATT.		, •
14	Trancha	ort into	rmation
17	I I WILDE		i iiiwiioii

	T777	Number	
٠	1 / / V =	unnor	

 $\cdot DOT$ not regulated · IMDG, IATA UN1266

· UN proper shipping name

 $\cdot DOT$ not regulated

· IMDG PERFUMERY PRODUCTS (METHYL SALICYLATE, Orange oil),

MARINE POLLUTANT

PERFUMERY PRODUCTS  $\cdot$  IATA

- · Transport hazard class(es)
- $\cdot DOT$
- · Class not regulated
- · IMDG



· Class 3 Flammable liquids 3

Label

(Contd. on page 11)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

	(Contd. of page
IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT	not regulated
IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: ALPH
	PINENE
Marine pollutant:	Yes (DOT)
	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	F- $E$ , $S$ - $D$
Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1266 PERFUMERY PRODUCTS, 3, III, ENVIRONMENTAL
0	HAZARDOUS

## 15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

123-35-3 MYRCENE

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 12)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

(Contd. of page 11)

· Chemicals	known to	cause	reproductive	toxicity	for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA	(Environmental	Protection	Agency)
-------	----------------	------------	---------

None of the ingredients is listed.

### · TLV (Threshold Limit Value established by ACGIH)

80-56-8	ALPHA PINENE	A4
140-11-4	BENZYL ACETATE	A4

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS05

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

CINNAMIC ALDEHYDE

CITRONELLA OIL

CLOVE OIL

Orange oil

ALPHA PINENE

**ANETHOLE** 

EUCALYPTUS OIL

TEA TREE OIL

**COUMARIN** 

LAEVO CARVONE

CITRAL

ALDEHYDE C-12 LAURIC

**DIPENTENE** 

#### · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of causing cancer.

May be fatal if swallowed and enters airways.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 13)

Printing date 11/08/2018 Reviewed on 11/08/2018

#### Trade name: 3X Industrial Fragrance

(Contd. of page 12)

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory Department
- · Date of preparation / last revision 11/08/2018 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

 $CAS:\ Chemical\ Abstracts\ Service\ (division\ of\ the\ American\ Chemical$ 

Society) NFPA: National Fire Protection Association (USA)

 $HMIS: Hazardous\ Materials\ Identification\ System\ (USA)$ 

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 14)

Printing date 11/08/2018 Reviewed on 11/08/2018

Trade name: 3X Industrial Fragrance

(Contd. of page 13)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

\* Data compared to the previous version altered.

...