

# SAFETY DATA SHEET

Supersedes Date: 09 May 2017 Revision Date: 11 Feb 2022 Version: 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

# **Product identifier**

Product Label Name Zone Perfect

Other means of identification

UPC Code(s) Not applicable

Product code CC02 Synonyms None

# Recommended use of the chemical and restrictions on use

Recommended Use Carpet cleaning detergent concentrate

Uses advised against Follow label instructions. Not recommended for any use except intended use.

#### Supplier's details

Supplier Address Manufacturer Address

Bridgepoint Systems Bridgewater

4282 South 590 West 4282 South 590 West Salt Lake City, UT 84123 Salt Lake City, UT 84123

USA USA

#### **Emergency telephone number**

**Company Phone Number** 1-800-658-5314

Company Emergency Phone United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

Number International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)

Emergency telephone Point (1 900 222 122 2000)

Emergency telephone Poison Control 1-800-222-1222 (24 hour)

# 2. HAZARDS IDENTIFICATION

# Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

# GHS Label elements, including

# precautionary statements

# **Emergency Overview**

# Warning

# **Hazard Statements**

Causes skin irritation
Causes serious eye irritation



Appearance Hazy Liquid Physical state liquid Odor Fresh and Clean

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

# Hazards not otherwise classified (HNOC)

Other information

General Hazards Keep out of reach of children

Please see Section 11. Toxicological Information for further information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5	10 - 20	*
ALCOHOLS, C9-11, ETHOXYLATED	68439-46-3	5 - 10	*
Butoxyethanol	111-76-2	5 - 10	*
TRIETHANOLAMINE	102-71-6	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**General advice** If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin contact**Remove and wash contaminated clothing before re-use. Wash off immediately with soap

and plenty of water while removing all contaminated clothes and shoes. If skin irritation

persists, call a physician. Immediate medical attention is not required.

Toxic - Inhalation Immediate medical attention is not required. Move to fresh air in case of accidental

inhalation of vapors. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Consult a physician. Do NOT induce vomiting.

**Protection of First-aiders**Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

**Hazardous Combustion** 

No information available.

Explosion Data

**Products** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

**Advice for emergency responders** For personal protection see section 8.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product

from entering drains.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other

noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

equipment. Do not breathe vapors or spray mist.

# Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled

containers.

Packaging material Keep product in packaging product is initially sold in.

**Incompatible products**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TRIETHANOLAMINE	TWA: 5 mg/m <sup>3</sup>		
102-71-6	_		
Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection**No special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Do not eat, drink or smoke when using this product. Remove and wash

contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Physical and chemical properties

Physical state

liquid

AppearanceHazy LiquidOdorFresh and CleanColorAmberOdor thresholdNo information available

No information available

No information available

200 cps

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 9.5

Melting pointNo information availableBoiling point/boiling range> 100 °C / > 212 °FFlash Point> 94 °C / > 201 °F

Flash Point > 94 °C / > 201 °I

Evaporation rate No information available

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
No information available
No information available

Vapor pressure 17.2 Vapor density 0.776 Specific Gravity 1.112

Water solubility
Soluble in water
No information available
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
Soluble in water
No information available
> 398 °C / > 750 °F

**Decomposition temperature** No information available

Viscosity, kinematic 470 cps

Viscosity, dynamicNo information availableExplosive propertiesNo information availableOxidizing PropertiesNo information available

Other information

Softening point
Molecular weight
VOC Content(%)
Density VALUE
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** None under normal processing.

### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

# **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

# **Product Information**

**Toxic - Inhalation** Avoid breathing vapors or mists.

Eye contact Irritating to eyes. Avoid contact with eyes. May cause redness, itching, and pain.

**Skin contact** Irritating to skin. Avoid contact with skin. Prolonged or repeated contact may dry skin and

cause irritation. Prolonged skin contact may cause burns.

**Ingestion** Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TETRAPOTASSIUM PYROPHOSPHATE 7320-34-5		> 4640 mg/kg (Rabbit)	
TRIETHANOLAMINE 102-71-6	= 4190 mg/kg (Rat)	> 20 mL/kg (Rabbit) > 16 mL/kg (Rat)	
Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 99 mg/kg (Rabbit)	= 450 ppm (Rat)4 h

#### Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.SensitizationNo information available.Germ Cell MutagenicityNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
TRIETHANOLAMINE 102-71-6		Group 3		
Butoxyethanol 111-76-2	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

Developmental Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

**Chronic toxicity** Avoid repeated exposure. May cause adverse liver effects.

Target Organ Effects Blood, Central nervous system, Eyes, Hematopoietic System, Kidney, Liver, Respiratory

system, Skin.

**Aspiration hazard** No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

3.5577% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
TETRAPOTASSIUM			100: 48 h water flea mg/L EC50
PYROPHOSPHATE			
7320-34-5			

TRIETHANOLAMINE	169: 96 h Desmodesmus	10600 - 13000: 96 h Pimephales	
102-71-6	subspicatus mg/L EC50 216: 72 h	promelas mg/L LC50 flow-through	
	Desmodesmus subspicatus mg/L	450 - 1000: 96 h Lepomis	
	EC50	macrochirus mg/L LC50 static 1000:	
		96 h Pimephales promelas mg/L	
		LC50 static	
Butoxyethanol		1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static 2950: 96 h	EC50 1698 - 1940: 24 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
TRIETHANOLAMINE 102-71-6	-2.53
Butoxyethanol 111-76-2	0.81

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# **Waste treatment**

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

IMDG Not regulated

IATA Not regulated

# 15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

#### Legena:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %	
Butoxyethanol - 111-76-2	1.0	

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

# **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# US State Regulations

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
TRIETHANOLAMINE	X	X	X
102-71-6			
Butoxyethanol	Χ	X	X
111-76-2			

### **U.S. EPA Label information**

EPA Pesticide Registration Number Not applicable

# **16. OTHER INFORMATION**

NFPA Health hazard 2 Flammability 1 Instability 0 Physical and chemical

hazards -

HMIS Health hazard 2 Flammability 1 Physical Hazard 0 Personal protection X

Prepared By Aramsco

Environmental Health & Safety

Revision Date 11 Feb 2022

**Revision Note** 

11 Feb 2022 - Review, no changes made

# **Disclaimer**

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**