

SAFETY DATA SHEET

Supersedes Date: 14 Feb 2022

Revision Date: 13 Feb 2023

Version: 2.0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name	Gel Break
Other means of identification	
UPC Code(s)	Not applicable
Product code	CS05
Synonyms	None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesive remover Uses advised against Follow label instructions. Not recommended for any use except intended use.

Manufacturer Address

Salt Lake City, UT 84123

4282 South 590 West

Aramsco Inc.

USA

Supplier's details

Supplier Address Aramsco Inc. 4282 South 590 West Salt Lake City, UT 84123 USA

Emergency telephone number

Company Phone Number Company Emergency Phone Number **Emergency telephone**

1-800-658-5314 United States: 1-800-535-5053 (INFOTRAC - 24 hours, 7 days a week) International: 1-352-323-3500 (INFOTRAC - 24 hours, 7 days a week) Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Flammable Liquids	Category 3


GHS Label elements, including precautionary statements

Emergency Overview

Warning

Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, dry chemical, or foam for extinction

Collect spillage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

- Other information
- Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life
- Avoid release to the environment General Hazards

Keep out of reach of children

Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
D-Limonene	5989-27-5	40-60	*
Diethylene glycol monobutyl ether	112-34-5	30-40	*
2-(2-methoxypropoxy)propano	34590-94-8	7-13	*
Alcohols, C9-11, ethoxylated	68439-46-3	5-10	*
Propylene glycol monomethyl ether	107-98-2	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.	
Eye contact	Immediately flush with plenty of water. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required.	
Toxic - Inhalation	Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial respiration. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, call a physician.	
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.	
Protection of First-aiders	Use personal protective equipment.	
Most important symptoms/effects, acute and delayed		
Main Symptoms	No information available.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use:. Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Hazardous Combustion No information available. Products

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.
Advice for emergency responders	For personal protection see section 8.
Environmental precautions	
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and materials for containm	nent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures against static discharges.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.
Packaging material	Keep product in packaging product is initially sold in.
Incompatible products	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-methoxypropoxy)propano 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m3 (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m3 (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m3 (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m3 STEL: 150 ppm STEL: 900 mg/m3
Propylene glycol monomethyl ether 107-98-2	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m3 (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m3	TWA: 100 ppm TWA: 360 mg/m3 STEL: 150 ppm STEL: 540 mg/m3

Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	
NIOSH IDLH: Immediately Dangerous to Life or Health		
Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Appropriate engineering contro	bls	
Engineering Measures	Showers Eyewash stations Ventilation systems.	
Individual protection measures	s, such as personal protective equipment	
Eye/Face Protection	Tightly fitting safety goggles. Face-shield.	
Skin and body protection	No special protective equipment required.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
Hygiene measures	Provide regular cleaning of equipment, work area and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Appearance Color	liquid Clear Liquid colorless	Odor Odor threshold	Orange No information available
<u>Property</u> pH Melting point Polling point/boiling range	<u>Values</u> 7.0 – 8.0 No information available > 176 °C / 348 °F	<u>Remarks • Method</u>	
Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas)	54 °C / 135 °F Same as water No information available	Closed cup	
Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure	No information available No information available No information available		
Vapor density Specific Gravity Water solubility	No information available 0.965 Miscible in water		
Solubility in other solvents Partition coefficient: n-octanol/wat Autoignition temperature Decomposition temperature	No information available erNo information available No information available No information available		
Viscosity, kinematic Viscosity, dynamic Explosive properties	No information available No information available No information available No information available		
Oxidizing Properties <u>Other information</u>	No information available		
Softening point	No information available		

Molecular weight VOC Content(%) Density VALUE Bulk Density VALUE

No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Toxic - Inhalation	May be harmful if inhaled. Avoid breathing vapors or mists.
Eye contact	Risk of serious damage to eyes. Avoid contact with eyes.
Skin contact	Irritating to skin. Avoid contact with skin.
Ingestion	May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Orange Terpenes 5989-27-5	= 4400 mg/kg (Rat)	>5 g/kg (Rabbit)	
2-(2-methoxypropoxy)propano 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	
ALCOHOLS, C9-11, ETHOXYLATED 68439-46-3	1400 mg/kg (Rat)	>2 g/kg (Rabbit)	
2-(2-Butoxyéthoxy)éthanol 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No information available.

Germ Cell Mutagenicity	No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen				
Carcinogenicity			<u> </u>	j j	
Chemical Name	ACGIH	IARC	NTP	OSHA	
Orange Terpenes	-	Group 3	-	X	
5989-27-5					
OSHA (Occupational Safety	and Health Administra	tion of the US Department o	f Labor)		
X - Present		-			
IARC: (International Agency	for Research on Canc	er)			
Group 3 - Not Classifiable as t	to Carcinogenicity in Hur	mans			
Reproductive toxicity	No information	on available.			
Developmental Toxicity	No information available.				
STOT - single exposure	No information available.				
STOT - repeated exposure	No information available.				
Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeate				
-	exposure.	, ,	, , , , , , , , , , , , , , , , , , ,		
Target Organ Effects	Eves, Respiratory system, Skin, Central nervous system.				
Aspiration hazard	No information available.				
Aspiration nazaru					

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000	•
ATEmix (dermal)	>5000	mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.72% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Orange Terpenes		0.619 - 0.796: 96 h Pimephales	
5989-27-5		promelas mg/L LC50 flow-through	
		35: 96 h Oncorhynchus mykiss	
		mg/L LC50	
2-(2-methoxypropoxy)propano		10000: 96 h Pimephales promelas	1919: 48 h Daphnia magna mg/L
34590-94-8		mg/L LC50 static	LC50
Diethylene glycol monobutyl ether	100: 96 h Desmodesmus	1300: 96 h Lepomis macrochirus	100: 48 h Daphnia magna mg/L
112-34-5	subspicatus mg/L EC50	mg/L LC50 static	EC50 2850: 24 h Daphnia magna
	·	_	mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-(2-methoxypropoxy)propano	-0.064
34590-94-8	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not re-use empty containers.
US EPA Waste Number	D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Orange Terpenes 5989-27-5	Тохіс

14. TRANSPORT INFORMATION

DOT_ UN/ID No Proper shipping name Hazard class Packing Group Special Provisions Emergency Response Guide Number 49CFR Limited Quantity	UN1993 Flammable liquids, n.o.s. (Contains: d-Limonene) 3 III B1, B52, IB3, T4, TP1, TP29 129 For flammable liquids in Packing Group III and combustible liquids, inner packagings not over 5.0 L (1.3 gallons) net capacity each, packed in a strong outer packaging.
IMDG UN/ID No Proper shipping name Hazard class Packing Group EmS No.	UN1993 Flammable liquids, n.o.s. (Contains: d-Limonene) 3 III F-A, S-B
IATA UN/ID No Proper shipping name Hazard class Packing Group Special Provisions	Not recommended for transportation by air.
	15. REGULATORY INFORMATION
<u>International Inventories</u> TSCA DSL/NDSL	Complies Complies
Legend:	

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
2-(2-methoxypropoxy)propano - 34590-94-8	1.0
SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product can expose you to chemicals including Acetaldehyde and 1,4-Dioxane, which are known to the State of California to cause cancer, and Ethylene Glycol and Methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-methoxypropoxy)propano	Х	X	Х
34590-94-8			

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
<u>NFPA</u>	Health hazard	2	Flammability	2	Instability 0	Physical and chemical hazards	
HMIS	Health hazard	2	Flammability	2	Physical Hazard 0	Personal protection X	
Prepared By Aramsco Environmental Health & Safety							
Revision Date	13 Feb 2023						
Revision Note							
13 Feb 2023 – Update Pr	rop 65 Warning						
14 Feb 2022 – Review, no changes made							
24 Apr 2017 – No information available							
08 Aug 2016 – Added Boiling Point Data							
Disclaimer							
The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.							

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet