

SAFETY DATA SHEET

Supersedes Date: 15 Feb 2023

Revision Date: 15 Feb 2023

Version: 1.0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Label Name	I.P.G.
Other means of identification	
UPC Code(s)	Not applicable
Product code	2696-4902
Synonyms	Esteam I.P.G.

Recommended use of the chemical and restrictions on use

Recommended Use	Multi-purpose solvent specialty spot remover.	
Uses advised against	Follow label instructions. Not recommended for any use except intended	

Supplier's details

Supplier Address

Esteam Cleaning Systems 1-3680 Odyssey Drive Mississauga, ON L5M 0Y9 Canada

Manufacturer Address

Aramsco Inc. 4282 South 590 West Salt Lake City, UT 84123 USA

Emergency telephone number

Company Phone Number1-800-767-6933Company Emergency PhoneUnited States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)NumberInternational: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)Emergency telephonePoison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview Warning

Hazard Statements Causes skin irritation Causes serious eye irritation May cause respiratory irritation Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands, and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life
- Avoid release to the environment General Hazards

Keep out of reach of children

Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Diethylene glycol monobutyl ether	112-34-5	60-70	*
Isopropyl acetate	108-21-4	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

- Eye contactImmediately flush with plenty of water. Rinse thoroughly with plenty of water for at least 15 minutes
and consult a physician. After initial flushing, remove any contact lenses and continue flushing for
at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
- Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of

water. If skin irritation persists, call a physician. Immediate medical attention is not required.

Toxic - InhalationMove to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial
respiration. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not
required. If symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Protection of First-aiders Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use: Dry chemical. Carbon dioxide (CO 2). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Hazardous Combustion No information available. Products

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Personal precautions	Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.
Advice for emergency responders	For personal protection see section 8.
Environmental precautions	
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and materials for containn	nent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures against static discharges.
	7. HANDLING AND STORAGE
Precautions for safe handling Advice on safe handling	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
<u>Conditions for safe storage, includ</u> Technical measures/Storage conditions	Ing any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.
Packaging material	Keep product in packaging product is initially sold in.
Incompatible products	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Exposure Guidelines

Exposure Guidelines			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Isopropyl acetate 108-21-4	TWA: 100 ppm STEL: 200 ppm	PEL TWA: 250 ppm, 950 mg/m3	TWA: 250 ppm IDLH: 1800 ppm STEL: 310 ppm

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Appropriate engineering controls Engineering Measures	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/Face Protection	Tightly fitting safety goggles. Face shields.
Skin and body protection	No special protective equipment required.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Provide regular cleaning of equipment, work area and clothing. Do not eat, drink, or smoke when using this product. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

I.F.G.			Revision Date.	15 FED 2025
Physical state Appearance Color	liquid clear liquid None	Odor Odor threshold	ester No informatic	n available
<mark>Property</mark> pH	<u>Values</u> Not applicable	<u>Remarks • Method</u>		
Melting point	No information available			
Boiling point/boiling range	> 93.3°C / > 200°F	CCS TM-011		
Flash Point	48°C / 118°F	Closed cup		
Evaporation rate	No information available			
Flammability (solid, gas) Flammability Limits in Air	No information available			
Upper Flammability Limit	1.4			
Lower Flammability Limit	No information available			
Vapor pressure	10.3			
Vapor density	3.9			
Specific Gravity	0.966			
Water solubility	Appreciable			
Solubility in other solvents Partition coefficient: n-octanol/water	No information available			
	No information available 398°C / 750°F			
Autoignition temperature Decomposition temperature	No information available			
Viscosity, kinematic	No information available			
Viscosity, dynamic	No information available			
Explosive properties	No information available			
Oxidizing Properties	No information available			
Other information				
Softening point	No information available			
Molecular weight	No information available			
VOC Content (%)	< 3			
Density VALUE	No information available			
Bulk Density VALUE	No information available			

10. STABILITY AND REACTIVITY

None under normal processing.

Reactivity

<u>Chemical stability</u> Stable under recommended storage conditions

Possibility of hazardous reactions

None under normal processing

Hazardous Polymerization

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied

Hazardous Decomposition Products

None known based on information supplied

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Toxic - Inhalation

Aspiration into lungs can produce severe lung damage. May be harmful if inhaled. Avoid breathing vapors or mists.

Eye contact	Risk of serious damage to eyes. Avoid contact with eyes.
Skin contact	Irritating to skin. Avoid contact with skin.
Ingestion	Do not taste or swallow. Ingestion may cause irritation to mucous membranes. Ingestion causes burns of the upper digestive and respiratory tracts.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Isopropyl acetate 108-21-4	3000 mg/kg (Rat)	>20 mL/kg (Rabbit)	50600 mg/m3 8h (Rat)

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Eye damage/irritation Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. No information available. No information available. No information available.				
Chemical Name		IARC	NTP		
None	-	-	-		
X - Present IARC: (International Agen Group 3 - Not Classifiable Reproductive toxicity Developmental Toxicity STOT - single exposure	ety and Health Administration of the US ncy for Research on Cancer) as to Carcinogenicity in Humans No information available. No information available. No information available.	Department of Labor)			
STOT - repeated exposure Chronic toxicity	No information available. Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated				
Target Organ Effects Aspiration hazard	exposure. Eyes, Respiratory system, Skin No information available.	, Central nervous system	1.		

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) > 5000 mg/kg

ATEmix (oral)	> 5000 mg/kg
ATEmix (dermal)	> 5000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.72% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Diethylene glycol monobutyl ether	100: 96 h Desmodesmus	1300: 96 h Lepomis macrochirus	100: 48 h Daphnia magna mg/L
112-34-5	subspicatus mg/L EC50	mg/L LC50 static	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Isopropyl acetate	1.03
108-21-4	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment	
Waste Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not re-use empty containers.
US EPA Waste Number	D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl acetate 108-21-4	Toxic, Ignitable

14. TRANSPORT INFORMATION

DOT UN/ID No Proper shipping name Hazard class Packing Group Special Provisions Emergency Response Guide Number 49CFR Limited Quantity	UN1993 Flammable liquids, n.o.s. (Contains: Isopropyl Acetate) 3 III B1, B52, IB3, T4, TP1, TP29 129 For flammable liquids in Packing Group III and combustible liquids, inner packaging not over 5.0 L (1.3 gallons) net capacity each, packed in a strong outer packaging.
<u>IMDG</u> UN/ID No Proper shipping name Hazard class Packing Group EmS No.	UN1993 Flammable liquids, n.o.s. (Contains: Isopropyl Acetate) 3 III F-A, S-B
IATA UN/ID No Proper shipping name Hazard class Packing Group Special Provisions	Not recommended for transportation by air.
	15. REGULATORY INFORMATION
International Inventories	

International Inventories TSCA DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %		
Diethylene glycol monobutyl ether - 112-34-5	1.0		

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product can expose you to chemicals including Acetaldehyde, which is known to the State of California to cause cancer, and Ethylene Glycol, Methanol and Hydrogen Cyanide, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monobutyl ether 112-34-5	Х		Х
Isopropyl acetate 108-21-4	Х	Х	Х

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
<u>NFPA</u>	Health hazard 2	Flammability	2	Instability	0	Physical and chemical hazards	; -
<u>HMIS</u>	Health hazard 2	Flammability	2	Physical Hazard	0	Personal protection	Х
Prepared By		Aramsco Environmental I	Haalth	8. Safaty			
Revision Date Revision Note		15 Feb 2023		x Galety			
15 Feb 2023	No information ava	ailable					
<u>References</u>	Raw ingredient SDSs						
Disclaimer							

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet