Printing date 04/25/2023

Reviewed on 04/25/2023

## **1** Identification

- · Product identifier
- · Trade name: 3804 Aerosol DC GLOBE Vanilla
- · Manufacturer article number: EAEDC409
- Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (789)(86)

• Manufacturer/Supplier: Industrias Salcom, SA de CV Calle 2 No. 10540 Parque Industrial El Salto EL SALTO, JAL, ZP.45680 MEXICO fredcominu@wiese.com.mx

• Information department: Product safety department • Emergency telephone number: +52 33 3688 0850

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame Flammable Aerosols 1

H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Gases under Pressure - Compressed gas

H280 Contains gas under pressure; may explode if heated.

GHS07

Eye Irritation 2AH319 Causes serious eye irritation.Specific Target Organ Toxicity - Single Exposure 3H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• Hazard-determining components of labeling: acetone

• Hazard statements H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 2)

<sup>–</sup> US

Printing date 04/25/2023

Reviewed on 04/25/2023

### Trade name: 3804 Aerosol DC GLOBE Vanilla

	(Contd. of page 1)
· Precautionary s	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Pressurized container: Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification syst	
$\cdot$ NFPA ratings (so Health = 2	<i>cale 0 - 4)</i>
Fire = 4	
Reactivity = 1	a = 1 - 1
• HMIS-ratings (see Health = 2	<i>cule 0 - 4)</i>
Fire = 4	
Reactivity = 1	
• Other hazards	
· · · · · · · · · · · · · · · · · · ·	nd vPvB assessment
• <b>PBT:</b> Not appli	
• <b>vPvB:</b> Not appl	
vrvb. Noi appi	

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
67-64-1	acetone	>50-≤100%
75-28-5	isobutane	>10-≤25%
74-98-6	propane	>2.5-≤10%
106-97-8	butane, pure	≤2.5%

## 4 First-aid measures

### · Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

US

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: 3804 Aerosol DC GLOBE Vanilla

(Contd. of page 2)

- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available. • *Indication of any immediate medical attention and special treatment needed*
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
  - · Suitable extinguishing agents:

Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

• Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

- *Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## · Protective Action Criteria for Chemicals

67-64-1 acetone	200 ppm
75-28-5 isobutane	5500* ppr
74-98-6 propane	5500* ppr
106-97-8 butane, pure	5500* ppr
110-91-8 morpholine	30 ppm
142-90-5 dodecyl methacrylate	6.9 ppm
120-51-4 Benzyl benzoate	5.7 mg/m <sup>3</sup>
91-64-5 Coumarin	0.88 mg/n
100-51-6 Benzyl alcohol	30 ppm
105-13-5 Anisyl alcohol	2.2 mg/m <sup>3</sup>
· PAC-2:	
67-64-1 acetone	3200* ppm
75-28-5 isobutane	17000** ppi
74-98-6 propane	17000** pp
106-97-8 butane, pure	17000** pp
110-91-8 morpholine	1,300 ppm
142-90-5 dodecyl methacrylate	76 ppm
120-51-4 Benzyl benzoate	$63 mg/m^3$

Printing date 04/25/2023

Reviewed on 04/25/2023

### Trade name: 3804 Aerosol DC GLOBE Vanilla

		(Contd. of page 3
91-64-5	Coumarin	9.7 $mg/m^3$
100-51-6	Benzyl alcohol	52 ppm
105-13-5	Anisyl alcohol	25 mg/m <sup>3</sup>
• PAC-3:		
67-64-1	acetone	5700* ppm
75-28-5	isobutane	53000*** ppn
74-98-6	propane	33000*** ppn
106-97-8	butane, pure	53000*** ppm
110-91-8	morpholine	8000** ppm
142-90-5	dodecyl methacrylate	460 ppm
120-51-4	Benzyl benzoate	380 mg/m <sup>3</sup>
91-64-5	Coumarin	58 mg/m <sup>3</sup>
100-51-6	Benzyl alcohol	740 ppm
105-13-5	Anisyl alcohol	$260 \text{ mg/m}^3$

# 7 Handling and storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:
- Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

*Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.* 

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

### 67-64-1 acetone

- PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm
- *REL* Long-term value: 590 mg/m<sup>3</sup>, 250 ppm
- TLV Short-term value: 500 ppm
- Long-term value: 250 ppm
  - A4, BEI

(Contd. on page 5)

US –

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: 3804 Aerosol DC GLOBE Vanilla

75-28	8-5 isobutane
TLV	Short-term value: 1000 ppm (EX)
74-98	8-6 propane
PEL	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1800 mg/m³, 1000 ppm
TLV	see Appendix F Minimal oxygen content ( D, EX)
106-9	97-8 butane, pure
REL	Long-term value: 1900 mg/m <sup>3</sup> , 800 ppm
TLV	Short-term value: 1000 ppm
	(EX)
· 1	ngredients with biological limit values:
67-64	1-1 acetone
BEI	25 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Acetone (nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

#### • Breathing equipment:

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 04/25/2023

\*

Reviewed on 04/25/2023

# Trade name: 3804 Aerosol DC GLOBE Vanilla

(Contd. of page 5)

• Eye protection:	(Contd. of page
Safety glasses	
Tightly sealed goggles	
Physical and chemical properti	es
Information on basic physical and ch	emical properties
• General Information • Appearance:	
· Form:	Aerosol
· Color:	According to product specification
· Odor:	Characteristic
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
• Melting point/Melting range:	-94.7 °C (-138.5 °F)
• Boiling point/Boiling range:	-44 °C (-47.2 °F)
· Flash point:	< 0 °C (< 32 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	460 °C (860 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor
	mixtures are possible.
• Explosion limits:	
· Lower:	1.8 Vol %
· Upper:	13 Vol %
· Vapor pressure at 20 °C (68 °F):	3,000 hPa (2.300 mm Hg)
· Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	22.2.4/
· Organic solvents:	83.8 %

(Contd. on page 7)

<sup>–</sup> US –

Printing date 04/25/2023

Reviewed on 04/25/2023

## Trade name: 3804 Aerosol DC GLOBE Vanilla

• <b>VOC content:</b> 26.06 %	
260.6 g/l / 2.18 lb/gal	
· Solids content: 3.8 %	
• Other information No further relevant information available	le.

## 10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

### · Information on toxicological effects

· Acute toxicity:

### · LD/LC50 values that are relevant for classification:

#### 67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine

91-64-5 Coumarin

·NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 8)

3

3

(Contd. of page 7)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

## Trade name: 3804 Aerosol DC GLOBE Vanilla

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available. • Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment

· *PBT:* Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

# 13 Disposal considerations

· Uncleaned packagings:

\*

• *Recommendation: Disposal must be made according to official regulations.* 

UN-Number		
· DOT, IMDG, IATA	UN1950	
UN proper shipping name		
· DOT	Aerosols, flammable	
·IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
Transport hazard class(es)		
·DOT		
PLAMABLE GAS		
· Class	2.1 Gases	
· Label	2.1	
· IMDG, IATA		
· Class	2.1 Gases	
· Label	2.1 2.1	
Packing group		
· DOT, IMDĠ, IATA	not regulated	
Environmental hazards:		
· Marine pollutant:	No	
Special precautions for user	Warning: Gases	
• Hazard identification number (Kem	ller code): - F-D,S-U	

Printing date 04/25/2023

Reviewed on 04/25/2023

## Trade name: 3804 Aerosol DC GLOBE Vanilla

	(Contd. of page
· Stowage Code	SW22 For AEROSOLS with a maximum capacity of 1 litre
5	Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clear of
	living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class . except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355	(extremely	hazardous	substances):
-------------	------------	-----------	--------------

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

67-64-1 acetone	ACTIV
75-28-5 isobutane	ACTIV
74-98-6 propane	ACTIV
106-97-8 butane, pure	ACTIV
25265-71-8 Dipropylene glycol (isomer unspecified)	ACTIV
110-91-8 morpholine	ACTIV
142-90-5 dodecyl methacrylate	ACTIV
120-51-4 Benzyl benzoate	ACTIV
91-64-5 Coumarin	ACTIV
100-51-6 Benzyl alcohol	ACTIV
105-13-5 Anisyl alcohol	ACTI
118-58-1 benzyl salicylate	ACTI

(Contd. of page 9)

ACTIVE

Ι

A4

A4

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: 3804 Aerosol DC GLOBE Vanilla

78-70-6 Linalool

• *Hazardous Air Pollutants* None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

• TLV (Threshold Limit Value)

67-64-1 acetone

110-91-8 *morpholine* 

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

- Date of preparation / last revision 04/25/2023 • Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Aerosols 1: Aerosols - Category 1 Gases under Pressure - Compressed gas: Gases under pressure - Compressed gas Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
- \* \* Data compared to the previous version altered.

*Contact:* +52 33 3688 0850