

IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 1 – IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name: IBIX Restoration Blend Fine

Synonyms: Garnet, Almandine Garnet, Alluvial Garnet, Fine Garnet

Relevant Use (s): Industrial Abrasives

Recommended Use: Industrial Abrasive Media, Blast Cleaning, Waterjet Cutting, Water

filtration Media

Supplier: GMA Garnet (USA) Corp.

DISTRIBUTOR:

Phone Number: +1 727-322-4611

General inquiries: <u>sales@ibixusa.com</u>

Emergency Telephone

Number: 24 hours: (727) 776 4646



IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 2 - HAZARDS IDENTIFICATION

United States (U.S.)

According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture:

HCS 2012 Carcinogenicity 1A - H350

Label Elements:

OSHA HCS 2012

Danger



Hazard statements:

Prolonged inhalation exposure may cause cancer. - H350



Precautionary Statements:

Prevention Obtain special instructions before use - P201

Do not handle until all safety precautions have been read and understood. -

P202

Response If exposed or concerned: Get medical advice/attention. - P308+P313

Disposal Store locked up. - P405

Dispose of content and/or container in accordance with local, regional,

national, and/or International regulations - P501

OTHER HAZARDS

OSHA HCS 2012 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

CLP According to Regulation (EC) No. 1272/2008 (CLP) this

material is not considered hazardous.

DSD/DPD According to European Directive 1999/45/EC this material is not considered

dangerous.

If the crystalline silica (fine fraction) content in mixtures and substances is

below 0.1 %, no classification is required.

Official Distributor:



IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

This material is a natural mixture of almandine garnet and other trace minerals.

| Chemical Identity | Common Name | CAS Number | Proportion (weight %) |
|--|-----------------------------|-------------|-----------------------|
| (Fe,Ca) ₃ Al ₂ (SiO ₄) ₃ | Garnet | 1302-62-1 | 97% |
| FeTiO₃ | Ilmenite | 103170-28-1 | 1% |
| SiO ₂ | Quartz (Crystalline Silica) | 14808-60-7 | Less than 0.1% |
| (Ca,Fe ₂)(Si,Al) ₂ O ₆ (Mg,Mn)(Si,Al) ₂ O ₆ (Mg,Mn ₂)(Si,Al) ₂ O ₆ | Pyroxene | 12174-37-3 | 1% |
| ZrSiO ₄ | Zircon | 149040-68-2 | |
| $Ca_2(Mg,Fe,Al)_5 (Al,Si)_8 O_{22}$ $(OH)_2$ | Hornblende | 1178-42-6 | Less than 1% |

SECTION 4 – FIRST AID MEASURES



Description of first aid measures:

Ingestion: May cause abdominal discomfort due to abrasiveness; get medical attention if

symptoms develop.

Eye contact: In case of eye contact, immediately flush eyes with running water with plenty of clean

water for at least 20. If eye irritation persists; seek medical advice/attention.

Skin contact: There are no known health effects from skin contact that may occur during normal

handling. Contact with material under pressure will damage skin by abrasion. Clean and

dress any open wound and seek medical advice/attention.

Inhalation: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing. Administer oxygen if breathing is difficult. If breathing difficulties persist,

seek medical attention immediately.

Most important symptoms and effects, both acute and delayed: Refer to Section 11 - Toxicological Information.

Indication of immediate medical attention and special treatment needed, if necessary: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.



IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 5 – FIRE FIGHTING MEASURES

This product is non-flammable and does not support combustion.

a) Extinguishing media: Non-flammable. Use media suitable for the surrounding

materials.

b) Specific hazards arising from the

chemical:


c) Special protective equipment and

None known.

No specific procedures given. Use protective equipment and precautions suitable for surrounding fire.

precautions:

NFPA





SECTION 6 – ACCIDENTAL RELEASE MEASURES

(a) Personal precautions, protective equipment and emergency procedures:

Do not walk through spilled material. Wear appropriate Personal Protective Equipment (PPE)

(b) Environmental Precautions:

This material should not be dumped in nature but collected and disposed of in accordance with local, state or federal guidelines. Avoid run off to waterways and sewers.

(c) Methods and materials for containment and cleaning up:

Avoid generating unnecessary dust. Sweep or vacuum up material for disposal or recovery.



IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 7 – HANDLING AND STORAGE

(a) Precautions for safe handling:

No special precautions necessary for normal handling of the material. Use only with adequate ventilation. Wear appropriate personal protective equipment.

(a) Conditions of safe storage, including any incompatibilities:

No special precautions necessary for normal storage of the material. Keep container/package tightly closed and in a well-ventilated place. Practice good housekeeping practiced to keep nuisance dust to a minimum.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

(a) Control Parameters/Exposure Standards:

OELs (respirable fraction) in air for dust containing crystalline silica (quartz).

| Standard | Exposure Limits |
|---|-----------------------------------|
| ACGIH TLV** | |
| (8-Hour Time-Weighted Average) | 0.025 mg/m ³ |
| NIOSH REL** (10-Hour Time-Weighted Average, 40-hour work week) | 0.05 mg/m ³ |
| MSHA/OSHA PEL* (8-Hour Time-Weighted Average) | 10 mg/m ³ / (% SiO2+2) |
| AIOH | 0.1 mg/m ³ |
| OHS | 0.025 mg/m ³ |

^{*} Crystalline silica is normally measured as respirable dust. The OSHA/MSHA standard also presents a formula for calculation of the PEL based on total dust: 30 mg/m^3 / (% SiO_2 +2). The OSHA/MSHA PEL for dust containing crystalline silica (quartz) is based on the silica content of the respirable dust sample. The OSHA/MSHA PEL for crystalline silica as tridymite and cristobalite is one-half the PEL for crystalline silica (quartz).

^{**} The ACGIH and NIOSH limits are for crystalline silica (quartz), independent of the dust concentration. The ACGIH TLV for crystalline silica as cristobalite is equal to the TLV for crystalline silica as quartz. In 2005, ACGIH withdrew the TLV for crystalline silica as tridymite. OELs in air for inert/nuisance dust.





IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

| Standard | Respirable Dust | Total Dust |
|---|-----------------|----------------------|
| MSHA/OSHA PEL | 5 mg/m³ | 15 mg/m ³ |
| (as Inert or Nuisance Dust) | | |
| ACGIH TLV | | *10 mg/m³ |
| (as Particles Not Otherwise Specified) | 3 mg/m³ | |

Note: The limits for Inert Dust are provided as guidelines. Nuisance dust is limited to particulates not known to cause systemic injury or illness. * The TLV provided is for inhalable particles not otherwise specified.

California/OSHA's Permissible Exposure Levels over an 8-hour average basis.

Respirable crystalline silica (quartz, fused, tripoli), 0.1 mg/m³ - 0.1 milligrams of Silica in 1 cubic meter of air. Total crystalline silica (quartz), 0.3 mg/m³, Respirable cristobolite and tridymite, 0.05 mg/m³.

Canadian OEL:

Canada Labor Code (Canadian Centre Occupational Health & Safety [OHS]):0.025 mg/m³ (respirable) Alberta, British

Columbia: 0.025 mg/m³ (respirable quartz and cristobalite)

Saskatchewen: 0.05 mg/m³ (respirable, cristobalite); 0.05 mg/m³ (respirable, quartz); 0.1 mg/m³ (respirable, Tripoli, as quartz)

Manitoba, Newfoundland, Prince Edward Island: 0.025 mg/m³ (respirable, crystalline silica)

Ontario: 0.05 mg/m³ (respirable cristobalite); 0.1 mg/m³ (quartz, tripoli)

Quebec: 0.05 mg/m³ (respirable, cristobalite, tridymite); 0.1 mg/m³ (quartz, tripoli) New Brunswick: 0.1 mg/m³ (quartz);

0.05 mg/m³ (cristobalite)

Nova Scotia: 0.025 mg/m³ (quartz, cristobalite)

Yukon: 300 particles/ml measured with a konimeter (quartz, and tripoli); 150 particles/ML measured with a konimeter (cristobalite and tridymite)

Northwest Territories, Nunavut: 0.05 mg/m³ (respirable, cristobalite, tridymite); 0.1 mg/m³ (respirable) Austria OEL: -

Maximum allowable concentration 0.15 mg/m³

Australia: (AIOH) (OEL) $- 0.1 \text{ mg/m}^3$

Mexico: 0.1 mg/m³ (quartz, tripoli containing respirable quartz powder, inhalable), 0.05 mg/m³ (cristobalite, tridymite inhalable) (Also refer to ACGIH)

Argentina: 0.05 mg/m³ (quartz, cristobalite, tridymite respirable) 0.1 mg/m³ (tripoli, respirable) United Kingdom OEL: 0.1 mg/m³ (quartz, cristobalite, tridymite)

Japan OEL: Japan Society of Occupational Health Respirable crystalline silica 0.03 mg/m³ Poland OEL TWA:

- 2 mg/m³ (total inhalable dust, containing >50% free crystalline silica);
- 0.3 mg/mg/m³ m³ (respirable dust, containing >50% free crystalline silica);
- 4.0 mg/m³ (total inhalable dust, containing 2% to 50% free crystalline silica);
- 1.0 mg/m³ (respirable dust, containing 2% to 50% free crystalline silica); and
- 10.0 mg/m³ (total inhalable dust, containing < 2% free crystalline silica

If your Country or Territory is not listed, stricter regulations (ACGIH) apply where the materials are being used.





IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

Key to abbreviations

PEL = Permissible Exposure Level determined by the Occupational Safety and Health Administration (OSHA)

ACGIH = American Conference of Governmental Industrial Hygiene

AIOH = Australian Institute of Occupational Hygienists

OSHA = Occupational Safety and Health Administration

NIOSH = National Institute of Occupational Safety and Health

TLV = Threshold Limit Value determined by the American Conference of Governmental Industrial Hygienists (ACGIH) TWA

= Time-Weighted Averages are based on 8h/day, 40h/week exposures

(b) Engineering Measures and Controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable use process enclosures, exhaust ventilation or dust collectors to maintain airborne levels below recommended exposure limits. Operate and maintain dust collectors per manufacture recommendations.

(c) Personal Protective Equipment:

For limited exposure use an N95 dust mask or equivalent. For prolonged exposure follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Wear safety glasses

Wear protective clothing and gloves

Follow local, state or federal guidelines for the use of personal protection equipment. Blast cleaning operations should use an air fed abrasive blast hood conforming to relevant standards such as Australian Standards 1715, 1716 and European Standard EN14594:2005 such as a Nova 2000, as well as leather (or equivalent) gloves and apron when in use. Hearing protection should also be worn when blast cleaning.

Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Official Distributor:

Surface Technologies

IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| (a) | Appearance (b) Odor: | : Pink to red colored free flowing sand: Odorless |
|-----|-----------------------------|--|
| (c) | Odor threshold | : Not applicable |
| (d) | рН | : 8.0 |
| (e) | Melting point | : Approximately 1250°C (2282°F) |
| (f) | Flash point | : Non-combustible |
| (g) | Evaporation rate | : Not applicable |
| (h) | Flammability (solid, gas) | : Non-flammable |
| (i) | Upper/lower flammability or | : Non-combustible |
| | explosive limits | |
| (j) | Vapor pressure | : Not applicable |
| (k) | Vapor density | : Not applicable |
| (1) | Specific gravity | : 4.1 |
| (m) | Solubility | : Insoluble |
| (n) | Radioactivity | : Not detectable above background |
| (o) | Hardness | levels. : 7.5 – 8.0 Mohs |
| (p) | Particle size | : Average range between 0.1 – 1.2 mm (325 mesh–70 mesh), depending on grade |
| (q) | Particle shape | :Sub-angular |
| (r) | Source | : Alluvial garnet |
| (s) | Bulk density | : Approximately 2.3 t/m³ (145 lbs/ft³) |
| (t) | Volatile organic | : Below detectable limits |
| | compounds content | A |
| (u) | Partition coefficient: n- | : Not applicable |
| | octanol/water | |
| (v) | Auto-ignition temperature | : Not applicable |
| (w) | Decomposition temperature | : Not applicable |
| (x) | Viscosity | : Not applicable |



IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 10 – STABILITY AND REACTIVITY

a) Reactivity: Inert solid, no dangerous reaction known under conditions of

normal use

b) Chemical stability: Stable

c) Possibility of

Hazardous reaction: None known
d) Conditions to avoid: None known
e) Incompatible materials: None known
f) Hazardous decomposition None known

SECTION 11 – TOXICOLOGICAL INFORMATION



Information on toxicological effects

| Crystalline Silica (SiO₂) | 14808 60 7 | Acute Toxicity: InhalationHuman TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s) Intermittent; Lungs, Thorax, or Respiration: Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration: Cough; Lungs, Thorax, or Respiration: Dyspnea; InhalationRat TCLo • 200 mg/kg; Lungs, Thorax, or Respiration: Fibrosis, focal (Pneumoconiosis); Lungs, Thorax, or Respiration. |
|---------------------------------|---------------|---|
|---------------------------------|---------------|---|

| GHS Properties | Classification |
|-------------------------------|------------------------------------|
| | EU/CLP• Data lacking |
| Acute Toxicity | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| Aspiration Hazard | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| Carcinogenicity | OSHA HCS 2012 • Carcinogenicity 1A |
| | EU/CLP•Data lacking |
| Germ Cell Mutagenicity | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| Skin Corrosion/Irritation | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| Skin Sensitization | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| STOTRE | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| STOTSE | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| Toxicity for Reproduction | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| Respiratory Sensitization | OSHA HCS 2012 • Data lacking |
| | EU/CLP•Data lacking |
| Serious Eye Damage/Irritation | OSHA HCS 2012 • Data lacking |



IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

Potential Health Effects

Inhalation

Acute

(Immediate) Exposure to dust may cause irritation.

Chronic

(Delayed) Inhalation of respirable dusts containing crystalline silica may cause lung

injury or disease silicosis and/or cancer.

Skin Acute

(Immediate) May cause abrasions.

Chronic

(Delayed) No data available

Eye Acute

(Immediate) Exposure to dust may cause irritation.

Chronic

(Delayed) No data available

Ingestion Acute

(Immediate) No known effects, however ingestion not recommended.

Chronic

(Delayed) No data available

Carcinogenic Effects: This product contains crystalline silica and/or quartz. IARC Monographs on

Evaluation of Carcinogenic Risk of Chemicals to Humans (Monograph 68, 1997) concludes that there is sufficient evidence for the carcinogenicity of crystalline silica to humans (IARC Group I). Crystalline Silica is classified as a

Known Carcinogen according to NTP.

| Carcinogenic Effects | | | |
|--|----------|---------------------|---------------------------|
| | CAS | IARC | NTP |
| Crystalline Silica (SiO ₂) | 14808607 | Group 1Carcinogenic | Known Human Carcinogen |



IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 12 – ECOLOGICAL INFORMATION



This material is a naturally occurring mineral with no known Eco-Toxicity. It is insoluble in water and unlikely to contaminate waterways or food chains. GMA garnet does not contain rubber or plastic materials.

Independent laboratory Toxicity Characteristic Leaching Procedure (TCLP) testing for leachates has shown that this material is not a hazardous or toxic substance

(a) Persistence and degradability : Data Lacking(b) Bioaccumulative potential : Data Lacking

(c) Mobility in soil: Data Lacking

(d) Other adverse effects: None known

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal methods: Dispose of content and packaging waste in accordance with local, state, or federal guidelines for disposal of inert solid waste, e.g. landfill disposal.

MATERIAL CONTAMINATED OR REDUCED TO DUST IN USE MAY NEED SPECIAL HANDLING AND DISPOSAL. IT IS THE RESPONSIBILITY OF THE USER TO UNDERTAKE ANY EVALUATION CLASSIFICATION AND DISPOSAL OF MATERIAL AFTER USE.

SECTION 14 – TRANSPORT INFORMATION

No special precautions necessary. It is recommended to keep bags closed and dry bulk loads covered to pre- vent dust generation and moisture incursion.

a) UN number: None allocated.

b) UN proper shipping name: Not classified for transportation.

c) Transport hazard class(es): Not classed as Dangerous under the ADG Code.

d) Packing group: Not classified for transportation.

e) Environmental hazards: Not classified as a marine pollutant. Does not meet the criteria of 2.9.3.3.1 "environmentally hazardous substances (aquatic environment)".

f) Special precautions for user: None necessary. It is recommended to keep bags closed and

dry bulk loads covered to prevent dust generation and

moisture incursion.

g) Hazchem code: None allocated.

h) Harmonized System code: 251320

Official Distributor:

NORTH AMERICA

IBIX Restoration Blend Fine

Date of issue: Jun 13, 2018

SECTION 15 - REGULATORY INFORMATION



(a) Safety, health and environmental regulations/ legislation specific for the substance mixture:

GMA Garnet™ is exempt from the obligation to register under REACH legislation (EC 1907/2006) Annex V 7.

This product is an inorganic substance and does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

No known additional regulations for this product.

SECTION 16 – OTHER INFORMATION

This SDS has been prepared by GMA Garnet USA Corporation and complies with the Safe Work Australia Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals December 2011 and follows the Globally Harmonized System of Classification and Labelling of Chemicals (the GHS).

As per Worksafe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application.

Disclaimer: The information in this SDS was obtained from sources that are believed to be reliable; however, the information is provided without any representation or warranty, express or implied, regarding its accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.