

Revision Date 26-Apr-2017

Г

SAFETY DATA SHEET

Version 5

	1. IDENTIFICATION
Product identifier	
Product Name	Spray Nine Glass & Stainless Steel Cleaner 600 g.
Other means of identification	
Product Code	C23319
Recommended use of the chemical	and restrictions on use
Recommended Use	Glass cleaner - Aerosol.
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Manufacturer Address	May Also Be Distributed by:
ITW Permatex	ITW Permatex Canada
6875 Parkland Blvd.	101-2360 Bristol Circle
Solon, OH 44139 USA	Oakville, ON Canada L6H 6M5
	Telephone: (800) 924-6994
24-hour emergency phone number	Chem-Tel: 800-255-3924
0 71	International Emergency:
	00+1+ 813-248-0585
	Contract Number: MIS0003453
E-mail address	mail@permatex.com
	2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Gases under pressure	Liquefied gas

Label elements

Emergency Overview

<u>Signal word</u> Warning	
Contains gas under pressure; may explode if heated	

Appearance White

Physical state Liquid

Odor Citrus

Precautionary Statements - Prevention

Pressurized container: Do not pierce or burn, even after use

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- The classification as a carcinogen or mutagen need not apply since it can be shown that the substance contains less than 0.1 % w/w 1,3-butadiene (EINECS No. 203-450-8)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance(s)

Chemical Name	CAS No	Weight-%
PROPANE	74-98-6	1 - 5
BUTANE	106-97-8	1 - 5
2-BUTOXYETHANOL	111-76-2	1 - 5
AMMONIA SOLUTION	1336-21-6	0.1 - 1

Any concentration shown as a range is due to batch variation.

4. FIRST AID MEASURES		
Description of first aid measures		
General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media None.

Specific hazards arising from the chemical

Heating causes rise in pressure with risk of bursting. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Remove all sources of ignition. Do not puncture or incinerate cans.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Contents under pressure. Do not puncture or incinerate cans. Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Protect from sunlight. Store in a well-ventilated place. Keep from freezing.	
In compatible materials		
Incompatible materials	Strong oxidizing agents, Acids	

Control parameters

Exposure Guidelines

	•		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PROPANE	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm

C23319 - Spray Nine Glass & Stainless Steel Cleaner 600 g.

74-98-6	Oxygen Content	TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	TWA: 1800 mg/m ³
BUTANE	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
2-BUTOXYETHANOL	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	_
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Tight sealing safety goggles.	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	None under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment.	
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Liquid White Citrus No information available	
Property	Values_	Remarks • Method
рН	10.05-10.15	
Melting point / freezing point	No information available	
Boiling point / boiling range	> 100 °C / >212 °F	
Flash point	No information available	Contents under pressure
Evaporation rate	< 1	Butyl acetate = 1
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	>1	Air = 1
Relative density	0.995-1.005	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	

Dynamic viscosity Explosive properties Oxidizing properties Other Information	No information available No information available No information available
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 7.5% No information available No information available
	10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Keep from freezing.

Incompatible materials

Strong oxidizing agents, Acids

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.	
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.	
Skin contact	May cause skin irritation and/or dermatitis.	
Ingestion	Ingestion may cause irritation to mucous membranes.	

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
PROPANE	-	-	= 658 mg/L (Rat)4 h
74-98-6			
BUTANE	-	-	= 658 g/m³ (Rat)4 h
106-97-8			
2-BUTOXYETHANOL	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			
AMMONIA SOLUTION	= 350 mg/kg (Rat)	-	-
1336-21-6			

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity	The table bel	ow indicates whether each	agency has listed any ing	gredient as a carcinogen.	
Chemical Name	ACGIH	IARC	NTP	OSHA	
2-BUTOXYETHANOL	A3	Group 3	-	-	
111-76-2					
ACGIH (American Confer	ence of Governmental Ind	ustrial Hygienists)			
A3 - Animal Carcinogen					
	cy for Research on Cance	r)			
Not classifiable as a humar	0				
Chronic toxicity		May cause adverse effects on the bone marrow and blood-forming system. May cause			
		adverse liver effects.			
Target Organ Effects		Blood, Central nervous system, Eyes, Hematopoietic System, kidney, Liver, Respiratory			
	system, Skin.	system, Skin.			
The following values are c	alculated based on cha	pter 3.1 of the GHS docu	ment .		
ATEmix (oral)	15667 mg/kg				
ATEmix (dermal)	36667 mg/kg	36667 mg/kg			
ATEmix (inhalation-gas	s) 4587164 mg	4587164 mg/l			
ATEmix (inhalation-du	st/mist) 50 mg/l				
ATEmix (inhalation-va					
	, 0				
12. ECOLOGICAL INFORMATION					

Ecotoxicity

7 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
PROPANE	2.3
74-98-6	
BUTANE	2.89
106-97-8	
2-BUTOXYETHANOL	0.81
111-76-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

Chemical Name	California Hazardous Waste Status
AMMONIA SOLUTION	Toxic
1336-21-6	Corrosive

14. TRANSPORT INFORMATION

DOT

UN/ID no	1950
Proper shipping name:	Aerosols, Limited Quantity (LQ)
Hazard Class	2.2
Emergency Response Guide	126
Number	

<u>IATA</u>

UN/ID no	ID 8000
Proper shipping name:	Consumer commodity
Hazard Class	9
ERG Code	9L
	•=

IMDG	
UN/ID no	1950
Proper shipping name:	Aerosols, Limited Quantity (LQ)
Hazard Class	2.2
EmS-No	F-D, S-U

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not determined
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-BUTOXYETHANOL - 111-76-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	Yes	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIA SOLUTION	1000 lb	-	-	Х
1336-21-6				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
AMMONIA SOLUTION	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
WATER	-	-	Х
7732-18-5			
PROPANE	Х	X	Х
74-98-6			
BUTANE	Х	X	Х
106-97-8			
2-BUTOXYETHANOL	X	X	Х
111-76-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

A Compressed gases

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA HMIS Health hazards 1 Health hazards 1 Flammability 1 Flammability 1 Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

26-Apr-2017

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet