

Vers 1.0	sion	Revision Date: 09/28/2023		OS Number: 0000006143	Date of last issue: - Date of first issue: 09/28/2023	
SEC	CTION 1	. IDENTIFICATION				
	Product name		:	PURELL HEALTHY SOAP™* High Performance Foam with CLEAN RELEASE™ Technology		
	Manufa	acturer or supplier's	deta	ails		
	Company name of supplier Address		:	GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio, 44311		
	Telephone		:	1 (330) 255-6000		
	Emerge ber	ency telephone num-	:	CHEMTREC 1-80 CHEMTREC +1-7	00-424-9300 ′03-527-3887: Outside USA & CANADA	
	Recom	mended use of the c	hen	nical and restriction	ons on use	
		mended use tions on use	:	consumers and o foreseeable use. cally defined by re the requirement o rial is not conside information critical product for indust	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, specifi- egulations around the world, are exempt from f an SDS for the consumer. While this mate- red hazardous, this SDS contains valuable I to the safe handling and proper use of the rial workplace conditions as well as unusual xposures such as large spills. This SDS	

should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 3
Eye irritation	:	Category 2A
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

instruction sheet.



PURELL HEALTHY SOAP[™]* High Performance Foam with CLEAN RELEASE[™] Technology

Version 1.0	Revision Date: 09/28/2023	SDS Number: 400000006143	Date of last issue: - Date of first issue: 09/28/2023
Preca	autionary statements	No smoking. P233 Keep cor P240 Ground/b P241 Use expl ment. P242 Use only P243 Take pre	ay from heat/sparks/open flames/hot surfaces ntainer tightly closed. bond container and receiving equipment. osion-proof electrical/ ventilating/ lighting/ equip- non-sparking tools. cautionary measures against static discharge. e protection/ face protection.
		for several min to do. Continue P337 + P313 If tion. P370 + P378 Ir	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ atten- n case of fire: Use dry sand, dry chemical or alco- am to extinguish.
		Storage: P403 + P235 S	tore in a well-ventilated place. Keep cool.
		Disposal: P501 Dispose posal plant.	of contents/ container to an approved waste dis-

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethyl Alcohol	64-17-5	>= 10 - < 20
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
		advice.
If inhaled	:	If inhaled, remove to fresh air.
In case of skin contact	:	If symptoms persist, call a physician. Get medical attention if irritation develops and persists.



PURELL HEALTHY SOAP™* High Performance Foam with CLEAN RELEASE™ Technology

Version 1.0	Revision Date: 09/28/2023	SDS Num 40000000		Date of last issue: - Date of first issue: 09/28/2023
In cas	e of eye contact	for at le If easy	east 15 mir to do, rem	ove contact lens, if worn.
lf swa	llowed	: If swal Rinse	nedical adv owed, DO mouth with medical at	NOT induce vomiting. water.
and e	Most important symptoms and effects, both acute and delayed		s serious e	ye irritation.
,	ction of first-aiders		•	ers should pay attention to self-protection nmended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions :	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages



Version	Revision Date:		DS Number:	Date of last issue: -
1.0	09/28/2023		00000006143	Date of first issue: 09/28/2023
	ds and materials for nment and cleaning up	:	Soak up with iner Suppress (knock spray jet. Keep in suitable,	ls should be used. t absorbent material. down) gases/vapours/mists with a water closed containers for disposal. ted floors and objects thoroughly while ob-

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Keep away from heat. Use with local exhaust ventilation. Avoid contact with eyes.
Conditions for safe storage	:	Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	CA AB OEL
		STEL	1,000 ppm	CA BC OEL
		TWAEV	1,000 ppm 1,880 mg/m3	CA QC OEL
		STEL	1,000 ppm	ACGIH
Glycerin	56-81-5	TWA	10 mg/m3	CA BC OEL
		TWA (Res- pirable)	3 mg/m3	CA BC OEL
		TWA (Mist)	10 mg/m3	CA BC OEL
		TWA (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Res- pirable mist)	3 mg/m3	CA BC OEL

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.

Hand protection

Eye protection : V	No special protective equipment required. Wear face-shield and protective suit for abnormal processing problems.
--------------------	--



PURELL HEALTHY SOAP™* High Performance Foam with CLEAN RELEASE™ Technology

Version 1.0	Revision Date: 09/28/2023	SDS Number: 400000006143	Date of last issue: - Date of first issue: 09/28/2023		
Skin and body protection		: No special me correctly.	easures necessary provided product is used		
Protective measures		: Choose body tration and an cific work-plac	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place. Ensure that eye flushing systems and safety showers are		
Hygiene measures		located close	to the working place. ordance with good industrial hygiene and safety		
		Avoid contact	with eyes.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	: : :	liquid clear, colourless, light yellow like soap No data available
рН	:	5.1 - 7.8 (20 °C)
Solidification / Setting point	:	-4.6 °C
Initial boiling point and boiling range	:	77 °C
Flash point Evaporation rate	:	35 °C No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Does not sustain combustion.
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.98 g/cm3
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-	:	Not applicable
octanol/water Auto-ignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	:	10 - 20 mm2/s (20 °C)
Explosive properties	:	Not explosive

Revision Date:

Version



PURELL HEALTHY SOAP[™]* High Performance Foam with CLEAN RELEASE[™] Technology

SDS Number:

Date of last issue: -

ersion D	Revision Date: 09/28/2023		S Number: 0000006143	Date of last issue: - Date of first issue: 09/28/2023
Oxidi	zing properties	:	The substance	or mixture is not classified as oxidizing.
	10. STABILITY AND RE	EAC	ΤΙVITY	
Reac	tiv <i>it</i> iv		Not clossified a	a a reactivity bazard
	nical stability	:		is a reactivity hazard. ormal conditions.
Possi	bility of hazardous reac-	:		orm explosive mixture with air.
tions	bility of hazardous reac-	•	vapours may n	
	itions to avoid		Heat, flames a	nd sparks
	npatible materials	÷	Oxidizing agen	
	rdous decomposition	:		decomposition products are known.
ECTION	11. TOXICOLOGICAL I	NFC	ORMATION	
Infor	mation on likely routes	ofe	exposure	
Inhala	ation			
	contact			
	contact			
Acut	e toxicity			
	lassified based on availa	ble	information.	
<u>Com</u>	ponents:			
Ethyl	Alcohol:			
-	e oral toxicity	:	LD50 (Rat): > 5	.000 ma/ka
, louid		•	22000 (1144). 0	,000 mg/ng
Acute	e inhalation toxicity	:	LC50 (Rat): 124	.7 mg/l
			Exposure time:	4 h
			Test atmospher	e: vapour
Sodiu	um Laureth Sulfate:			
Acute	e oral toxicity	:	LD50 (Rat): > 2	,000 mg/kg
	,			he substance or mixture has no acute oral tox
			icity	
Glyce	erin:			
-	e oral toxicity		LD50 (Rat): > 5	000 ma/ka
Acute		•	LD30 (Rat). > 3	,000 mg/kg
Skin	corrosion/irritation			
	lassified based on availa	ble	information.	
Not c				
Not c <u>Prod</u>	uct:			



Version	Revision Date:
1.0	09/28/2023

SDS Number: 400000006143

Date of last issue: -Date of first issue: 09/28/2023

Components:

Ethyl Alcohol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Sodium Laureth Sulfate:

Result: Skin irritation

Glycerin:

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Sodium Laureth Sulfate:

Result: Eye irritation Remarks: Severe eye irritation

Glycerin:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Germ cell mutagenicity

Not classified based on available information.



PURELL HEALTHY SOAP™* High Performance Foam with CLEAN RELEASE™ Technology

rsion	Revision Date: 09/28/2023		S Number: 0000006143	Date of last issue: - Date of first issue: 09/28/2023
<u>Com</u>	oonents:			
Ethvl	Alcohol:			
-	toxicity in vitro	:	Test Type: In vi Result: negative	tro mammalian cell gene mutation test
Geno	toxicity in vivo	:	Test Type: Rod Species: Mouse Application Rou Result: negative	te: Ingestion
Glyce	erin:			
-	toxicity in vitro	:		tro mammalian cell gene mutation test Test Guideline 476 e
	nogenicity lassified based on avai	ilable	information.	
<u>Com</u>	ponents:			
Applic Expos	erin: les: Rat cation Route: Ingestion sure time: 2 Years lt: negative	I		
-	oductive toxicity lassified based on avai	ilable	information.	
Com	ponents:			
Ethyl	Alcohol:			
-	ts on fertility	:	Species: Mouse Application Rou	te: Ingestion Test Guideline 416
Glyce	erin:			
-	ts on fertility	:	Test Type: Two Species: Rat Application Rou Result: negative	
Effect ment	ts on foetal develop-	:	Test Type: Emb Species: Rabbit Application Rou	ryo-foetal development



PURELL HEALTHY SOAP[™]* High Performance Foam with CLEAN RELEASE[™] Technology

Version	Revision Date:	SDS Number:
1.0	09/28/2023	40000006143

Date of last issue: -Date of first issue: 09/28/2023

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol:

Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Glycerin:

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 13 weeks Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h



PURELL HEALTHY SOAP[™]* High Performance Foam with CLEAN RELEASE[™] Technology

rsion)	Revision Date: 09/28/2023		0S Number: 0000006143	Date of last issue: - Date of first issue: 09/28/2023
Glyce		_		
IOXIC	ity to fish	-	Exposure time: 9	nchus mykiss (rainbow trout)): 54,000 mg/l 96 h
Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h	
Toxic	Toxicity to bacteria		NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h	
Persi	stence and degradabili	ity		
<u>Com</u>	oonents:			
-	Alcohol:			
Biode	gradability	:	Result: Readily I Biodegradation: Exposure time: 2	84 %
Sodiı	um Laureth Sulfate:			
Biode	gradability	:	Result: Readily I	biodegradable.
Glyce	erin:			
Biode	gradability	:	Result: Readily I Biodegradation: Exposure time:	94 %
Bioad	ccumulative potential			
<u>Com</u>	oonents:			
Ethyl	Alcohol:			
	ion coefficient: n- ol/water	:	log Pow: -0.35	
Glyce				
	ion coefficient: n- ol/water	:	log Pow: -1.76	
	lity in soil ata available			
	r adverse effects ata available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.



Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	09/28/2023	400000006143	Date of first issue: 09/28/2023	
Conta	aminated packaging	: Dispose of as u	inused product.	

kaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

National Regulations

TDG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

TSCA	On the inventory, or in compliance with the inventory
AICS	On the inventory, or in compliance with the inventory
DSL	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
ISHL	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% re-



PURELL HEALTHY SOAP[™]* High Performance Foam with CLEAN RELEASE[™] Technology

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/28/2023	40000006143	Date of first issue: 09/28/2023

sponse; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

Revision Date : 09/28/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN