### **SECTION 1 - IDENTIFICATION**

Product identifier/Trade name: SAFEBLEND OVEN & GRILL CLEANER, GEL, TANGERINE OIL

Other means of identification: GUTO

Recommended use: OVEN & GRILL CLEANER, GEL

**Restriction on use:** For industrial, institutional and food plants use only.

Initial supplier identifier: Chemotec (PM) Inc.

8820 Place Ray-Lawson

Anjou, Quebec, Canada H1J 1Z2

Phone: (514) 729-6321; 1-800-729-6321

Emergency phone number: (613) 996-6666 (CANUTEC)

#### **SECTION 2 - HAZARDS IDENTIFICATION**

# 2a WHMIS 2015 - GHS (Globally Harmonized System) classification

This product is classified as a skin irritant category 2 and an eye irritant category 2

## 2b Label elements



## **Pictogram**

## **Precautionary statement**

Wash hands thoroughly after handling. Wear eye protection. Wear rubber gloves.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

IF ON SKIN: Wash with plenty water. If skin irritation occurs: get medical advice. Take off contaminated clothing and wash it before reuse.

Signal word:

Warning.

#### **Hazard statement**

Causes serious eye irritation. Causes skin irritation.

## SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS#	% (weight)	GHS CLASSIFICATION
Ethoxylated alcohol	68991-48-0	3-7	Eye irritation, category 2
Sodium carbonate or Soda ash	497-19-8	1-5	Eye irritation, category 2
Sodium xylenesulfonate	1300-72-7	1-5	Eye irritation, category 2;
			Skin irritation category 2

The actual concentrations are withheld as a trade secret.

#### **SECTION 4 - FIRST AID MEASURES**

## 4a Description of first aid measures

## Eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

#### Skin contact:

Wash with plenty water. If skin irritation occurs: get medical advice. Take off contaminated clothing and wash it before reuse.

## Inhalation:

No effect expected.

# Ingestion:

Rinse mouth. Call a doctor if you feel unwell. Never give anything by mouth if the person is unconscious **4b Most important symptoms and effects** 

**Eye:** May cause irritation, redness, tears, burning sensation.

**Skin:** May cause irritation. **Inhalation:** No effect expected.

*Ingestion:* May cause slight irritation, headache, abdominal pain, diarrhoea, nausea and vomiting.

### 4c Immediate medical attention and special treatment needed

No special treatment

# **SECTION 5 - FIRE FIGHTING MEASURES**

### 5a Extinguishing media

Suitable extinguishing media:

Water (if possible avoid powerful sprays), foam, dry chemicals, carbon dioxide. Product itself is not flammable. Unsuitable extinguishing media:

None known.

### Specific hazards for product

Hazardous combustion products:

Oxides of carbon, nitrogen and other irritating gases.

# Special protective equipment and precautions for firefighters

Special fire-fighting procedures/equipment:

During a fire, irritating smoke and fumes may be generated. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from irritating products produced during the combustion. Move containers from fire area if it can be done without risk. A stream of water directed into the product generates a lot of

foam.

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 6a Personal precautions, protective equipment and emergency procedures

Personal protection:

Avoid contact with eyes. Use adequate aeration and ventilation. Floor will be slippery in case of a spill. Use

appropriate personal protection equipment (see section 8)

## 6b Methods and materials for containment and cleaning:

Stop the leak. For large spills, pump the product into drums or clean up spills using absorbent material. Resume cleaning by rinsing with water. Caution: floors will be slippery.

## 6c Environmental precautions:

Product is biodegradable. Do not let large quantities go to the sewers.

### SECTION 7 - HANDLING AND STORAGE

### 7a Precautions for Safe handling:

Avoid contact with eyes. When used as directed, no special precautions.

## 7b Condition for safe storage:

Store in a sealed container in a well-ventilated place. Do not store with food products. Keep from freezing.

## 7c Special packaging materials: none.

No incompatibility with most materials found in most workplaces.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

## 8a Control parameters

	Ontario Time-weighted Average Limit (TWA)	Ontario Short-Term Exposure Limit (STEL)	Notations
Ethoxylated alcohol	None established	None established	
Sodium carbonate	None estabished	None established	
Sodium xylenesulfonate	None established	None estabished	

### 8b Engineering controls:

Not required under normal applications.

## 8c Individual protection measures

Respiratory Protection:

Not required under normal applications.

Skin protection and other protective equipment:

Waterproof boots for large spills. Rubber gloves.

Eye / face protection:

Not required under normal applications.

## General hygiene considerations:

**KEEP OUT OF REACH OF CHILDREN.** Avoid contact with eyes. Never eat, drink, or smoke in work areas. Good hygiene is recommended after use of this product.

#### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance and odour: Viscous colourless to yellow liquid, tangerine oil odour.

Odour threshold: N/Av

pH: Approximately 11.5

Melting point and freezing point: Approximately 0 °C

Boiling point: Approximately 100 °C

Flash point: None to boil

**Evaporation rate (n-BuAc =1):** Approximately 0.4 (water)

Lower flammable limit (% by volume): N/Av
Upper flammable limit (% by volume): N/Av.
Explosion data - Sensitivity to mechanical impact: Not sensitive
Explosion data - Sensitivity to static discharge: Not sensitive

Vapour pressure (mm Hg)
Approximately 20 (water)
Vapour density:
Approximately 0.6 (water)
Specific gravity or density (water = 1 at 4 °C):
1.07 g/cm<sup>3</sup> @ 20 °C

Solubility in water:

Partition coefficient – n-octanol/water:

Auto-ignition temperature:

Decomposition temperature

Viscosity:

Miscible

Not available

Not available

Not available

400 cps @ 25 °C

#### **SECTION 10 - STABILITY AND REACTIVITY**

## 10a Reactivity:

Not applicable when used as directed.

#### 10b Chemical stability:

Stable at room temperature, in normal handling and storage conditions.

### 10c Possibility of hazardous reactions:

May react with strong acids.

## 10d Conditions to avoid:

Avoid contact with strong acids.

## 10e Incompatible materials

Strong acids

# 10f Hazardous decomposition products:

With strong acids: heat, water vapour.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

**Primary entry route(s):** Eye and ingestion.

*Eye:* May cause irritation, redness, tears, burning sensation.

**Skin:** May cause irritation. **Inhalation:** No effect expected.

Ingestion: May cause slight irritation, headache, abdominal pain, diarrhoea, nausea and vomiting.

Carcinogenicity: No ingredient listed by IARC as a possible

carcinogen.

Teratogenicity, mutagenicity, other reproductive effects: Mutagenic tests have been negative for ingredients

**Skin sensitization:** Ingredients not sensitizing as per OECD 406

Respiratory tract sensitization:Not availableSynergistic materials:Not availableOther important hazards:Not available

**Toxicological data:** The calculated  $LD_{50}$  for this product is greater than 10,000 mg/Kg, oral, rat; our products are not tested on animals.

Ingredient	LD <sub>50</sub> (route, species)	LC <sub>50</sub> # hours (species)
Sodium carbonate	4,090 mg/kg (oral, rat)	N/Av
	2,210 mg/kg (dermal, lapin)	
Ethoxylated alcohol	>2,000 mg/kg (oral, rat) >2,000 mg/kg (dermal, rabbit)	N/Av N/Av
Sodium xylenesulfonate	>5,000 mg/kg (oral, rat)	N/Av
	>2,000 mg/kg (dermal, rabbit)	

## For more details, refer to Section 3.

### **SECTION 12 - ECOLOGICAL INFORMATION**

## 12a Ecotoxicity:

TOXICITY (Fish)	Results	Exposure time	Method
Ethoxylated alcohol	70.1 mg/kg	48H	Not available
Sodium carbonate	Trout > 408 mg/L	96H	Not available
Sodium xylenesulfonate	Trout and salmon: 68-80 mg/L	96H	Not available

TOXICITY (Daphnia)	Results	Exposure time	Method
Ethoxylated alcohol	5.3 mg/L	48H	Not available
Sodium carbonate	>408 mg/L	48H	Not available
Sodium xylenesulfonate	>300 mg/L	48H	Not available

TOXICITY (Algea)	Results	Exposure time	Method
Ethoxylated alcohol	NOT AVAILABLE		
Sodium carbonate	Selenastrum EC50 230 mg/L	96H	Not available
Sodium xylenesulfonate	Nitzschia sp. EC50 137-242	"Not available	Not available
	mg/l		

**12b Persistence and degradability:** Product is expected to be readily biodegradable as per OECD 301.

**12c Bioaccumulation potential:** Not available

**12d Mobility in soil:** There is no test data on this product.

**12e Other adverse effect**No applicable information found

## SECTION 13 - DISPOSAL CONSIDERATIONS

Eliminate according to federal, provincial and local regulations.

For additional information, at the federal level, see http://www.ec.gc.ca/gdd-

mw/default.asp?lang=En&n=39D0D04A-1

In Alberta, see http://esrd.alberta.ca/waste/hazardous-waste-management/default.aspx

In B.C., see http://www2.gov.bc.ca/gov/topic.page?id=DC31CEF84F634025839C66F7F80164E8

In Manitoba, see http://www.gov.mb.ca/conservation/eal/haz-waste/faq/index.html

In New-Brunswick, see http://breaudisposal.nb.ca/breaudisposal/prohibited\_waste.htm

In NFLD, see http://www.env.gov.nl.ca/env/env\_protection/waste/

Material Safety Data Sheet: SAFEBLEND DISH DETERGENT

#### Page 5 of 6

In Northwest territories, see http://www.enr.gov.nt.ca/programs/hazardous-waste

In Nova Scotia, see http://novascotia.ca/snsmr/paal/nse/paal180.asp

In Nunvaut, see http://www.nmto.ca/course/other-training/hazardous-waste-management

In Ontario, see https://www.ontario.ca/environment-and-energy/hazardous-waste-management-

business-and-industry

In PEI, see http://www.gov.pe.ca/environment/hazardous-waste

In Quebec, see http://www.mddelcc.gouv.qc.ca/matieres/dangereux/

In Saskatchewan, see http://www.publications.gov.sk.ca/details.cfm?p=24515

In Yukon, see http://www.env.gov.yk.ca/air-water-waste/special\_waste\_regs.php

#### **SECTION 14 - TRANSPORTATION INFORMATION**

## Transportation of Dangerous Goods (TDG) in Canada:

Not regulated

UN number Not applicable
Proper shipping name: Not applicable
Class: Not applicable
Identification number: Not applicable
Packing group: Not applicable
Special case: Not applicable

#### **SECTION 15 - REGULATORY INFORMATION**

#### In Canada

## WHMIS information:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and this safety data sheet (SDS) contains all the information required by the HPR.

WHMIS Classification: See section 2a

**CEPA information:** Ingredients are listed on the DSL inventory.

#### **SECTION 16 - OTHER INFORMATION**

Date of latest revision: 2018-03-28

#### References:

1. Manufacturer'/suppliers' MSDS.

- 2. Occupational Exposure Limits for Ontario Workplaces required under Regulation 833
- 3. International Agency for Research on Cancer Monographs
- 4. The European Chemicals Agency (ECHA) website.

# Abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Service

CEPA Canadian Environmental Protection Act

cps Centipoises

DSL Domestic Substance List

## Safety Data Sheet: SAFEBLEND OVEN & GRILL CLEANER, GEL, TANGERINE OIL

HMIS Hazardous Material Information System
IARC International Agency for Research on Cancer

LC Lethal concentration
LD Lethal Dosage
N/Av Not available
N/Ap Not Applicable

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit
TLV Threshold Limit Value

WHMIS Workplace Hazardous Materials Information System

End of the MSDS