

Safety Data Sheet

1. Identification

Product Information. 125184

Product Name: RoofTec ConTec

Recommended Use. Professional Cleaning Agent

Uses advised against. Professional Use Only

Supplier. Legend Brands

15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands

4520 Eastgate Parkway Mississauga, ON L4W 3W6

800-932-3030

Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)

+1-352-323-3500 (International)

2. Hazards Identification

Classification in accordance with the Workplace Hazardous Materials Information System (WHMIS) 2015 based on the Hazardous Products Regulations (HPR).

Carcinogenicity, category 2 Skin Corrosion, category 1

GHS Pictograms





Signal Word

Danger

Unknown Acute Toxicity

< 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Causes severe skin burns and eye damage.

Suspected of causing cancer.

Precautionary Statements - Prevention.

Obtain special instructions before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash ... thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Immediately call a POISON CENTER or doctor/physician.

Wash contaminated clothing before reuse.

Precautionary Statements - Storage.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents/container to ...

3. Composition/Information on Ingredients

Chemical Name	CAS-No.	<u>Wt. %</u>	<u>HMIRA</u>
2-(2-BUTOXYETHOXY)ETHANOL	112-34-5	5-10	
TRISODIUM NTA	5064-31-3	1-5	
Surfactant blend	mixture	1-5	
Sodium Metasilicate	6834-92-0	1-5	
Trisodium Phosphate anhydrous	7601-54-9	0.1-1.0	

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Call a physician immediately.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

Hazardous decomposition products formed under fire conditions.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u> <u>ACGIH TLV-TWA</u> <u>ACGIH-TLV STEL</u> <u>OSHA PEL-TWA</u> <u>OSHA PEL-CEILING</u>

2-(2-BUTOXYETHOXY)ETHANOL 10 ppm N.E. N.E. N.E. N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Ensure adequate ventilation, especially in confined areas. Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear impervious rubber clothing if needed to prevent contact with liquid material. Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical stateLiquidAppearanceClearColorBlueOdorSolvent

Odor Threshold No Information

pH 13.2

Melting/freezing point., °C (°F)

No Information

Flash Point., °C (°F)

>94 (>201.20)

Boiling point/boiling range., °C (°F) 100 - 1,390 (212 - 2534) Evaporation rate No Information Available

Explosive properties.No InformationVapor pressure.No InformationVapor density.No Information

Specific Gravity. (g/cm³)

Water solubility.

Partition coefficient.

Autoignition temperature.,°C

Decomposition Temperature °C.

Viscosity, kinematic.

1.060

Soluble

No Information

No Information

No Information

Other information.

Volatile organic compounds (VOC) content. 0.1% at 32 oz/gallon

Density, lb/gal No Information

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

Direct sources of heat.

Incompatible Materials.

Aldehydes. Ketones. Sodium hypochlorite. Acids. Alcohols. Oxidizing agents.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 21,088.6 mg/kg **ATEmix (dermal)** 17,225.1 mg/kg

Component Information.

CAS-No.	Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
112-34-5	2-(2-BUTOXYETHOXY)ETHANOL	5660 mg/kg Rat	2700 mg/kg Rabbit	N.I.
5064-31-3	TRISODIUM NTA	1740 mg/kg	N.I.	N.I.
mixture	Surfactant blend	>2000 mg/kg Rat	1000-2000 mg/kg Rabbit	N.I.
6834-92-0	Sodium Metasilicate	1153 mg/kg Rat	N.I.	N.I.
7601-54-9	Trisodium Phosphate anhydrous	>2000 mg/kg Rat	7940 mg/kg (Rabbit)	N.I.

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

CAS-No.	Chemical Name	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
5064-31-3	TRISODIUM NTA	IARC Group 2B	-	-

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

3.72% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

Chem	nical Name	Toxicity to algae		Toxicity to daphnia and other aquatic invertebrates
2	2-(2-BUTOXYETHOXY) ETHANOL 112-34-5	EC50 96 h Desmodesmus subspicatus >100 mg/L	LC50 96 h Lepomis macrochirus 1300 mg/L	EC50 48 h Daphnia magna >100 mg/L

TRISODIUM N7 5064-31-3	-A -	LC50 96 h Pimephales promelas 93 - 170 mg/L, LC50 96 h Lepomis macrochirus 175 - 225 mg/L, LC50 96 h Lepomis macrochirus 252 mg/L, LC50 96 h Pimephales promelas 470 mg/L, LC50 96 h Oryzias latipes 560 - 1000 mg/L, LC50 96 h Oryzias latipes 560 - 1000 mg/L, LC50 96 h Oncorhynchus mykiss 72 - 133 mg/L, LC50 96 h Poecilia reticulata 560 - 1000 mg/L, LC50 96 h Poecilia reticulata 560 - 1000 mg/L, LC50 96 h Pimephales promelas 114 mg/L LC50 96 h Brachydanio rerio 210	1000 mg/L
Sodium Metasilio 6834-92-0	ate _	mg/L, LC50 96 h Brachydanio rerio 210 mg/L	-

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No. Chemical Name log POW 112-34-5 2-(2-BUTOXYETHOXY)ETHANOL 1

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: Corrosive liquids, n.o.s., (Sodium metasilicate)

Hazard Class: 8
UN/NA Number: UN1760
Packing Group: III

Additional Information: Limited Quantity in 1 Gal (3.8 L) or less

IMDG

Proper Shipping Name: Corrosive liquids, n.o.s., (Sodium metasilicate)

Hazard Class: 8
UN Number: UN1760
Packing Group: III

Additional Information: Limited Quantity in 1 Gal (3.8 L) or less

IATA Air transport is not recommended

15. Regulatory Information

International Inventories:

TSCA Complies
DSL Complies
DSL/NDSL Complies

EINECS/ELINCS ENCS IECSC KECI PICCS AIIC NZIOC -

TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.
 IECSC China Inventory of Existing Chemical Substances.
 KECL Korean Existing and Evaluated Chemical Substances.
 PlCCS Philippines Inventory of Chemicals and Chemical Substances.

AllC Australian Inventory of Chemical Substances.

NZIOC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

CANADIAN WHMIS:

This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class

16. Other Information

Revision Date: 10/12/2022 Supersedes Date: 10/12/2022

Reason for revision: Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health: 3 Flammability: 1 Physical Hazard: 0 Personal Protection: B

NFPA Ratings:

Health:	3	Flammability:	1	Instability:	0	Physical & Chemical:	-
---------	---	---------------	---	--------------	---	----------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.